



Iso-Extract - 30% (Isomerised Hop Extract)

Overview

- Isomerized Hop Extract (Iso-Extract) is produced from CO2 extract and contains only purified isomerized α -acids.
- Iso-Extract can be used to top-up bitterness or used as a partial hop replacement (up to 70% of the total bitterness).
- Iso-Extract is added post fermentation, greatly improving the utilization of Iso- α -acids into beer and therefore is the cheapest form of bittering.

Specification

- Description:** An aqueous solution of the potassium salt of Iso- α -acids.
- Iso- α -acids:** Normally supplied as a 30% w/w (+/- 2%) concentration of Iso- α -acids
- Alpha-acids:** <0.4%
- Beta-acids:** <0.1%
- Oils:** <0.1%
- pH:** 9.0(\pm 10)
- Density:** 1.065 (\pm 0.01)g/ml.
- Haze:** 2% w/v solution remains bright at ambient temperature for 1 hour

Properties

Appearance:

A homogeneous, pale amber, clear aqueous solution; mobile and free flowing at all normal storage and use temperatures. Miscible with demineralized water and alcohol.

Utilization:

Based on HPLC analyses (using the DCHA Iso standard) utilization of Iso- α in final beer can be as high as 85-90% when the extract is added immediately prior to final filtration.

Flavor:

Iso-Extract produces a clean, bitter flavor and when used for adjustment, results in beers of consistent bitterness.

Product Use:

Typically used for post fermentation adjustment of beer bitterness.


Dosage:

Calculation is based on the bitterness to be achieved, the strength of the Iso-Extract solution and the expected utilization (usually 80-90%). Actual utilization will vary from brewery to brewery depending on method and time addition

Stability:

When kept in unopened containers, Iso-Extract is stable for up to 2 years. Opened containers should be used quickly or flushed with nitrogen to eliminate oxygen prior to re-sealing. Never use CO₂ as the flushing gas.

Relative Cost of Bitterness with
Different Hop Products





Packaging:

Iso-Extract is normally packaged into 10kg pails or 20kg LDPE container.

Best Before:

Iso-Extract is stable for 2 years from date of production under the recommended storage conditions

Addition:

Iso-Extract can be added to beer at full strength but more usually it is diluted to between 2-5% in de-ionised water prior to addition. During dilution avoid aeration, as any resultant solution of CO2 will reduce the pH and cause precipitation. Should a slight haze appear, this can be removed by adjusting the pH to 8-9 by the addition of potassium carbonate solution. Never dilute full strength Iso-Extract with beer, as the lower pH will also cause precipitation. Suitable dosing equipment should be used to ensure that the Iso-Extract is added vigorously, in-line during beer transfer.

Storage:

Iso-Extract should be stored in unopened containers at cool, ambient temperatures. Avoid exposure to sunlight and use up any opened containers as soon as possible

Safety:

Iso-Extract is a non-toxic, intensely bitter material. However solutions of Iso-Extract are mildly alkaline and therefore contact with sensitive skin should be avoided. If Iso-Extract gets into the eyes, irrigate with excess water until clear and seek medical attention.

Analytical Methods:

Concentration of Iso-a-acids:

The concentration of Iso-a-acid is measured by HPLC using the current ICS standard according to the modified EBC 7.8 method

Concentration of a- and b-acids:

Residual a- and b-acids can be measured by HPLC using the current ICE standard according to the EBC 7.8 method.

Bitterness in the final beer:

If measuring BU's in the final beer, remember that Iso-Extract is a pure form of Iso-a acid and that, unlike more traditional forms of bittering, there will be less non-bitter impurities measured as part of the analysis. Adjustments to the Optical Density multiplication factor (70 instead of 50) will therefore need to be made if beer specifications are to remain unaltered.

Technical Support

We will be pleased to offer help and advice on the full range of Ellerslie Hop's products. Copies of all relevant analytical procedures, Material safety data sheets, assistance with pilot and full brewery trials and specialist analytical services.

Comparative Utilization
Hop Products

